



**GS GROUP LLC**  
Green S.P.A.C.E.S Protect Our Earth

## **Al Ikhlas Training Academy Water Sampling Lead Analysis Report**

### **1. INTRODUCTION**

#### **1.1. GENERAL**

This report presents the results of our water sampling performed at the site of Al Ikhlas Training Academy, 12555 McDougall, Detroit MI, on June 1st, 2016. The sample results taken in conjunction with this investigation are also presented on Appendix 1.

#### **1.2. OBJECTIVES AND SCOPE**

In general, the objectives of this investigation were to:

Accurately evaluate water outlets for lead above the EPA Maximum Contaminate Level (MCL).

#### **1.3. AUTHORIZATION**

Authorization was provided by phone for our Professional Services by Nadir Ahmad on May 20<sup>th</sup>, 2016.

### **2. SITE INVESTIGATIONS**

#### **2.1. FIELD PROGRAM**

In order to sample and evaluate water, GSES took six samples, a First Draw sample and a Flush sample, from three different locations on the site.

The field portion of our investigation was under control and continual supervision of an experienced member of our field scientist staff.

#### **2.2 LABORATORY TESTING**

##### **2.2.1. General**

In accordance with ASTM D3559 and the U.S. Environmental Protection Agency guidelines for lead in drinking water at schools and child care facilities, we took two samples: first draw and flush, which is the required testing standard for drinking water lead contamination.



**GS GROUP LLC**  
Green S.R.A.C.E.S Protect Our Earth

Results of the tests indicate that the water is below the threshold for lead contamination. A copy of the lab report and Chain of Custody is attached (Appendix 1).

### 3. DISCUSSIONS AND RECOMMENDATIONS

#### 3.1. DISCUSSIONS OF FINDINGS

The water results are below the threshold for lead contamination.

We appreciate the opportunity of providing this service for you. If you have any questions concerning this report or require additional information, please do not hesitate to contact the undersigned.

Respectfully submitted,

Michael Etters  
Field Scientist

Monica Starks, CIEC  
Principal

Council-certified Indoor Environmental  
Consultant Board-awarded by the  
American Council for Accredited  
Certification



Appendix 1, Lab Results, Chain of Custody



**GS GROUP LLC**  
Green S.P.A.C.E.S Protect Our Earth

**APPENDIX 1**  
**Laboratory Results and Chain of Custody**

17800 Woodward Ave Suite 200  
Detroit, MI 48203

Laboratory ID: 0055

**National Testing Laboratories, Ltd**  
556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

**ANALYTICAL REPORTS**

**SAMPLE CODE: 356811**  
**6/23/2016**

*12555 McDougall*

**Customer:** G. S. Group  
Monica Starks  
17800 Woodward Ave #200  
Detroit, MI 48203

**Source:** AL-IKHLAS Training Academy, S-02-CF-01-P  
**Source City:** Detroit  
**Source State:** MI

**Date/Time Received:** 6/15/2016 15:00  
**Collected by:** M. Ethers

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

- "ND" This contaminant was not detected at or above our lower reporting limit (LRL)
- "NA" Not Analyzed
- "Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.
- "LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.
- "DF" This column indicates the contaminant dilution factor.

**Report Notes:**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	6/1/2016 07:05		6/21/2016

These test results may be used for compliance purpose as required.

Analyst	Tests
EC	200.8



James Abston, Operations Manager

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

Laboratory ID: 0055

**National Testing Laboratories, Ltd**  
556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

**ANALYTICAL REPORTS**

**SAMPLE CODE: 356812**

**6/23/2016**

**Customer:** G. S. Group  
Monica Starks  
17800 Woodward Ave #200  
Detroit, MI 48203

**Source:** AL-IKHLAS Training Academy, S-02-CF-01-F  
**Source City:** Detroit  
**Source State:** MI

**Date/Time Received:** 6/15/2016 15:00

**Collected by:** M. Ethers

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

**Report Notes:**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	6/1/2016 07:05		6/21/2016

These test results may be used for compliance purpose as required.

Analyst	Tests
EC	200.8



James Abston, Operations Manager

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

Page 1 of 1 356812 Lead Only

Date Printed: 6/23/2016 10:15:35 AM

Laboratory ID: 0055

### National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

#### ANALYTICAL REPORTS

SAMPLE CODE: 356813

6/23/2016

**Customer:** G. S. Group  
Monica Starks  
17800 Woodward Ave #200  
Detroit, MI 48203

**Source:** AL-IKHLAS Training Academy, S-02-WC-02-P  
**Source City:** Detroit  
**Source State:** MI

**Date/Time Received:** 6/15/2016 15:00

**Collected by:** M. Ethers

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

**Report Notes:**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	6/1/2016 07:05		6/21/2016

These test results may be used for compliance purpose as required.

Analyst	Tests
EC	200.8

James Abston, Operations Manager

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

Laboratory ID: 0055

**National Testing Laboratories, Ltd**  
556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

**ANALYTICAL REPORTS**

**SAMPLE CODE: 356814**

**6/23/2016**

**Customer:** G. S. Group  
Monica Starks  
17800 Woodward Ave #200  
Detroit, MI 48203

**Source:** AL-IKHLAS Training Academy, S-02-WC-02-F  
**Source City:** Detroit  
**Source State:** MI

**Date/Time Received:** 6/15/2016 15:00

**Collected by:** M. Eppers

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.


"DF" This column indicates the contaminant dilution factor.

**Report Notes:**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	6/1/2016 07:05		6/21/2016

These test results may be used for compliance purpose as required.

Analyst	Tests
EC	200.8



James Abston, Operations Manager

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

Laboratory ID: 0055

**National Testing Laboratories, Ltd**  
556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

**ANALYTICAL REPORTS**

**SAMPLE CODE: 356815**

**6/23/2016**

**Customer:** G. S. Group  
Monica Starks  
17800 Woodward Ave #200  
Detroit, MI 48203

**Source:** AL-IKHLAS Training Academy, S-02-BF-03-P  
**Source City:** Detroit  
**Source State:** MI

**Date/Time Received:** 6/15/2016 15:00

**Collected by:** M. Etters

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

**Report Notes:**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1030	Lead	200.8	0.015	mg/L	0.001	0.003	1	6/1/2016 07:05		6/21/2016

These test results may be used for compliance purpose as required.

Analyst	Tests
EC	200.8



James Abston, Operations Manager

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*



Laboratory ID: 0055

**National Testing Laboratories, Ltd**  
556 South Mansfield, Ypsilanti, MI, 48197-5166  
(440) 449-2525, Fax: (440) 449-8585

**ANALYTICAL REPORTS**

**SAMPLE CODE: 356816**  
**6/23/2016**

**Customer:** G. S. Group  
Monica Starks  
17800 Woodward Ave #200  
Detroit, MI 48203

**Source:** AL-IKHLAS Training Academy, S-02-BF-03-F  
**Source City:** Detroit  
**Source State:** MI

**Date/Time Received:** 6/15/2016 15:00  
**Collected by:** M. Eiters

The results herein conform to TNI and ISO/IEC 17025:2005 standards, where applicable, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

**Legend:**

Any 'Level Detected' marked with an asterisk (\*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

- "ND" This contaminant was not detected at or above our lower reporting limit (LRL)
- "NA" Not Analyzed
- "Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA Secondary Standards.
- "LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.
- "DF" This column indicates the contaminant dilution factor.

**Report Notes:**

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled	Date Prepped	Date/Time Analyzed
<b>Inorganic Analytes - Metals</b>										
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	6/1/2016 07:05		6/21/2016

These test results may be used for compliance purpose as required.

Analyst	Tests
EC	200.8



James Abston, Operations Manager

*This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.*

**National Testing Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3330

**General Compliance**

Order Number: 2077783

Order Date: 05/20/2016

Sample Number:

Product: Lead Only

Sample Paid: No Payment Method:

TSR: EF

356811



Sold To:  
G. S. Group  
Monica Starks  
17800 Woodward Ave  
Detroit MI 48203

**For Laboratory Use ONLY**

Lab Accounting Information:

Payment \$: \_\_\_\_\_

Check #: \_\_\_\_\_

Lab Comments/Special Instructions:

State Forms:

Lab Sample Information:

Date Received: JUN 15, 2016

Time Received: 15:00

Received By: [Signature]

- Sample receipt criteria checked & acceptable.
- Deviations from acceptable sample receipt criteria noted on PSA form.

Date Sampled: 6/1/16

Time Sampled: 7:05 Please Use Military Time e.g 3 00pm = 15 00

Check Time Zone:  EST  CST  MST  PST

Client Name: AL-IBHLAS Training Academy

Address: 12555 McDougall

Phone Number: 313-207-5966

PWS ID# (if applicable): N/A

Sample ID or Source: S-02-CF-01-P

Source Type:  Spring  Well  Municipal  Surface  Other

City & State: Detroit, MI (If Different than Above)

Sample Collected By: [Signature] (Signature)

Sample Collected By: Michael ETTERS (Please Print)

Form Completed By: Michael ETTERS

Additional Comments: The location sampled is a school, this is sample #1, first draw.

**National Testing Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3330

**General Compliance**

Order Number: 2077783

Order Date: 05/20/2016

Sample Number:

356812  


Product: Lead Only

Sample Paid: No Payment Method:

TSR: EF

Sold To:  
G. S. Group  
Monica Starks  
17800 Woodward Ave  
Detroit

MI 48203

Date Sampled: 6/1/16

Time Sampled: 7:05 Please Use Military Time. e.g 3.00pm = 15 00

Check Time Zone.  EST  CST  MST  PST

Client Name: AL-IKHLAS Training Academy

Address: 12555 McDougall


Phone Number: 313-207-5966

PWS ID# (if applicable): N/A

Sample ID or Source: S-02-CF-01-F

Source Type:  Spring  Well  Municipal  Surface  
 Other


City & State: Detroit, MI  
(If Different than Above)

Sample Collected By:   
(Signature)

Sample Collected By: Michael Eppers  
(Please Print)

Form Completed By: Michael Eppers

Additional Comments: The location sampled is a school, this is sample #1, flush sample.

For Laboratory Use ONLY	
Lab Accounting Information:	
Payment \$:	_____
Check #:	_____
Lab Comments/Special Instructions:	
State Forms:	
Lab Sample Information:	
Date Received:	JUN 15/2016
Time Received:	15:00
Received By:	
<input type="checkbox"/> Sample receipt criteria checked & acceptable <input type="checkbox"/> Deviations from acceptable sample receipt criteria noted on PSA form.	

**National Testing Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3330

**General Compliance**

Order Number: 2077783  
Order Date: 05/20/2016  
Sample Number:  
Product: Lead Only  
Sample Paid: No Payment Method:

356813



TSR: EF

Sold To:  
G. S. Group  
Monica Starks  
17800 Woodward Ave  
Detroit

MI 48203

Date Sampled: 6/1/16

Time Sampled: 7:05 Please Use Military Time. e.g 3:00pm = 15:00

Check Time Zone:  EST  CST  MST  PST

Client Name: AL-FKHLAS Training Academy

Address: 12555 McDougall

Phone Number: 313-207-5966

PWS ID# (if applicable): N/A

Sample ID or Source: S-02-WC-02-P

Source Type:  Spring  Well  Municipal  Surface  
 Other:

City & State: Detroit, Mi  
(If Different than Above)

Sample Collected By: [Signature]  
(Signature)

Sample Collected By: Michael ETTERS  
(Please Print)

Form Completed By: Michael ETTERS

Additional Comments: The location sampled is a School, this is Sample # 2, first draw.

For Laboratory Use ONLY	
Lab Accounting Information:	
Payment \$:	_____
Check #:	_____
Lab Comments/Special Instructions:	
State Forms:	
Lab Sample Information:	
Date Received:	JUN 15 2016
Time Received:	15:00
Received By:	[Signature]
<input type="checkbox"/> Sample receipt criteria checked & acceptable.	
<input type="checkbox"/> Deviations from acceptable sample receipt criteria noted on PSA form.	

**National Testing Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3330

**General Compliance**

Order Number: 2077783

Order Date: 05/20/2016

Sample Number:



Product: Lead Only

Sample Paid: No Payment Method:

TSR: EF

Sold To:

G. S. Group

Monica Starks

17800 Woodward Ave

Detroit

MI 48203

Date Sampled: 6/1/16

Time Sampled: 7:05 Please Use Military Time, e.g. 3.00pm = 15.00

Check Time Zone:  EST  CST  MST  PST

Client Name: Ah-IXHLAS Training Academy

Address: 12555 McDougall

Phone Number: 313-207-5966

PWS ID# (if applicable): N/A

Sample ID or Source: S-02-WC-02-F

Source Type:  Spring  Well  Municipal  Surface  Other

City & State: Detroit, Mi (If Different than Above)

Sample Collected By: [Signature] (Signature)

Sample Collected By: Michael ETTERS (Please Print)

Form Completed By: Michael ETTERS

Additional Comments:

The location sampled is a school, this is sample #2, flush sample.

**For Laboratory Use ONLY**

Lab Accounting Information:

Payment \$: \_\_\_\_\_

Check #: \_\_\_\_\_

Lab Comments/Special Instructions:

State Forms:

Lab Sample Information:

Date Received: JUN 15 2016

Time Received: 15:00

Received By: [Signature]

Sample receipt criteria checked & acceptable.

Deviations from acceptable sample receipt criteria noted on PSA form.

**National Testing Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3330

**General Compliance**

Order Number: 2077783

Order Date: 05/20/2016

Sample Number:

Product: Lead Only

Sample Paid: No

Payment Method:

TSR: EF



Sold To:  
G. S. Group  
Monica Starks  
17800 Woodward Ave  
Detroit MI 48203

For Laboratory Use ONLY	
Lab Accounting Information:	
Payment \$:	_____
Check #:	_____
Lab Comments/Special Instructions:	
State Forms:	
Lab Sample Information:	
Date Received:	JUN 15, 2016
Time Received:	15:00
Received By:	[Signature]
<input type="checkbox"/> Sample receipt criteria checked & acceptable. <input type="checkbox"/> Deviations from acceptable sample receipt criteria noted on PSA form.	

Date Sampled: 6/1/16  
Time Sampled: 7:05 Please Use Military Time, e.g. 3:00pm = 15:00

Check Time Zone:  EST  CST  MST  PST  
Client Name: AL-IKHLAS Training Academy  
Address: 12555 McDougall  
Phone Number: 313-207-5966

PWS ID# (if applicable): N/A

Sample ID or Source: S-02-BE-03-P

Source Type:  Spring  Well  Municipal  Surface  
 Other

City & State: Detroit, Mi.  
(If Different than Above)

Sample Collected By: [Signature]  
(Signature)

Sample Collected By: Michael Eppers  
(Please Print)

Form Completed By: Michael Eppers

Additional Comments: The location sampled is a school, this is sample #3, first draw.

**National Testing Laboratories, Ltd.**

Quality Water Analysis

1-800-458-3330

**General Compliance**

Order Number: 2077783

Order Date: 05/20/2016

Sample Number:

Product: Lead Only

Sample Paid: No

Payment Method:

TSR: EF



Sold To:  
G. S. Group  
Monica Starks  
17800 Woodward Ave  
Detroit

MI 48203

Date Sampled: 6/1/16

Time Sampled: 7:05 Please Use Military Time, e.g. 3.00pm = 15.00

Check Time Zone:  EST  CST  MST  PST

Client Name: AL-IKHLAS Training Academy

Address: 12555 McDougall

Phone Number: 313-207-5966

PWS ID# (if applicable): N/16

Sample ID or Source: S-02-BF-03-F

Source Type:  Spring  Well  Municipal  Surface  
 Other

City & State: Detroit, Mi  
(If Different than Above)

Sample Collected By: *[Signature]*  
(Signature)

Sample Collected By: Michael Eppers  
(Please Print)

Form Completed By: Michael Eppers

Additional Comments:

The location sampled is a school, this is sample # 3, Flush Sample

For Laboratory Use ONLY	
Lab Accounting Information:	
Payment \$:	_____
Check #:	_____
Lab Comments/Special Instructions:	
State Forms:	
Lab Sample Information:	
Date Received:	JUN 15 2016
Time Received:	15:00
Received By:	<i>[Signature]</i>
<input type="checkbox"/> Sample receipt criteria checked & acceptable. <input type="checkbox"/> Deviations from acceptable sample receipt criteria noted on PSA form.	

INCOMPLETE INFORMATION MAY DELAY ANALYSIS AND/OR INVALIDATE RESULTS